

SHAFT LOCKING COLLARS



**MIDLAND
BEARINGS**

MIDLAND BEARINGS LIMITED,
UNIT 33, SECOND AVENUE,
PENSNETT TRADING ESTATE,
KINGSWINFORD,
DY6 7UG ENGLAND

Tel: 01384-841400 Email: sales@midlandbearings.com

SHAFT LOCKING COLLARS

Shaft locking collars are mechanical components used to locate and retain parts in a fixed axial position on rotating or stationary shafts. They provide a simple and effective means of shaft positioning without the need for keyways, grooves, or other shaft modifications.

Solid shaft collars are manufactured from a single piece and secured using a set screw. They are suitable for applications requiring a compact solution and moderate axial holding capacity where installation access is not restricted.

Single-split shaft collars incorporate one clamping slit, allowing installation and removal without axial shaft movement. The split design provides improved clamping uniformity and reduced shaft marking compared to solid collars.

Double-split shaft collars feature two opposing clamping slits to provide uniform circumferential clamping, high axial holding capacity, and accurate shaft alignment. This design is recommended for higher load applications and where minimal shaft damage is required.

The shaft locking collars specified herein are manufactured from the following materials:

45C carbon steel with zinc plating, providing high strength and corrosion protection for general industrial use.

Stainless steel AISI 304, providing corrosion resistance for use in aggressive, hygienic, or outdoor environments.

All shaft locking collars are manufactured to ensure dimensional accuracy, consistent clamping performance, and reliable service under normal operating conditions.

SHAFT LOCKING COLLARS

SOLID TYPE : ZINC PLATED STEEL
(STEEL 45C/Equivalent EN8)



SINGLE SPLIT TYPE : ZINC PLATED
STEEL (STEEL 45C/Equivalent EN8)



DOUBLE SPLIT TYPE : ZINC PLATED
STEEL (STEEL 45C/Equivalent EN8)



SOLID TYPE : AISI304C
STAINLESS STEEL



SINGLE SPLIT TYPE : AISI304C
STAINLESS STEEL



DOUBLE SPLIT TYPE : AISI304C
STAINLESS STEEL



Part Number	Material	Design Type	Bore Size (mm)	Bore Size (Inches)	OD (mm)	OD (Inches)	Width (mm)	Width (Inches)	Set Screw Size	Weight (kg)
COLLAR-1/8-ZP	Zinc Plated	Solid	3.175	0.1250"	9.525	0.3750"	6.35	0.2500"	6-32"x1/8"	0.003
COLLAR-1/8-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	3.175	0.1250"	12.7	0.5000"	6.35	0.2500"	4-40x3/8"	0.014
COLLAR-1/8-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	3.175	0.1250"	12.7	0.5000"	6.35	0.2500"	4-40x3/8"	0.014
COLLAR-4-SS	Stainless Steel	Solid	4		8		5		M2.5x3	0.002
COLLAR-4-ZP	Zinc Plated	Solid	4		8		5		M2.5x3	0.002
COLLAR-4-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	4		16		9		M3x8	0.014
COLLAR-4-SS-SINGLE-SPLIT	Stainless Steel	Single Split	4		16		9		M3x8	0.014
COLLAR-4-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	4		16		9		M3x8	0.014
COLLAR-4-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	4		16		9		M3x8	0.014
COLLAR-3/16"-ZP	Zinc Plated	Solid	4.7625	0.1875"	11.1125	0.4375"	6.35	0.2500"	8-32"x1/8"	0.004
COLLAR-3/16"-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	4.7625	0.1875"	15.875	0.6250"	7.9375	0.3125"	4-40x3/8"	0.013
COLLAR-3/16"-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	4.7625	0.1875"	15.875	0.6250"	7.9375	0.3125"	4-40x3/8"	0.013
COLLAR-5-SS	Stainless Steel	Solid	5		10		6		M3x4	0.003
COLLAR-5-ZP	Zinc Plated	Solid	5		10		6		M3x4	0.003
COLLAR-5-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	5		16		9		M3x8	0.013
COLLAR-5-SS-SINGLE-SPLIT	Stainless Steel	Single Split	5		16		9		M3x8	0.013
COLLAR-5-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	5		16		9		M3x8	0.013
COLLAR-5-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	5		16		9		M3x8	0.013
COLLAR-6-SS	Stainless Steel	Solid	6		12		8		M4x4	0.005
COLLAR-6-ZP	Zinc Plated	Solid	6		12		8		M4x4	0.005
COLLAR-6-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	6		16		9		M3x8	0.013
COLLAR-6-SS-SINGLE-SPLIT	Stainless Steel	Single Split	6		16		9		M3x8	0.013
COLLAR-6-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	6		16		9		M3x8	0.013
COLLAR-6-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	6		16		9		M3x8	0.013

Part Number	Material	Design Type	Bore Size (mm)	Bore Size (Inches)	OD (mm)	OD (Inches)	Width (mm)	Width (Inches)	Set Screw Size	Weight (kg)
COLLAR-1/4-ZP	Zinc Plated	Solid	6.35	0.2500"	12.7	0.5000"	7.9375	0.3125"	10-32"x7/8"	0.005
COLLAR-1/4-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	6.35	0.2500"	17.4625	0.6875"	7.9375	0.3125"	4-40x3/8"	0.013
COLLAR-1/4-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	6.35	0.2500"	17.4625	0.6875"	7.9375	0.3125"	4-40x3/8"	0.013
COLLAR-7-SS	Stainless Steel	Solid	7		12		8		M4x5	0.005
COLLAR-7-ZP	Zinc Plated	Solid	7		12		8		M4x5	0.005
COLLAR-7-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	7		18		9		M3x8	0.014
COLLAR-7-SS-SINGLE-SPLIT	Stainless Steel	Single Split	7		18		9		M3x8	0.014
COLLAR-7-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	7		18		9		M3x8	0.014
COLLAR-7-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	7		18		9		M3x8	0.014
COLLAR-5/16"-ZP	Zinc Plated	Solid	7.9375	0.3125"	15.875	0.6250"	7.9375	0.3125"	10-32"x1/8"	0.010
COLLAR-5/16"-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	7.9375	0.3125"	17.4625	0.6875"	7.9375	0.3125"	4-40x3/8"	0.013
COLLAR-5/16"-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	7.9375	0.3125"	17.4625	0.6875"	7.9375	0.3125"	4-40x3/8"	0.013
COLLAR-8-SS	Stainless Steel	Solid	8		16		8		M4x4	0.010
COLLAR-8-ZP	Zinc Plated	Solid	8		16		8		M4x4	0.010
COLLAR-8-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	8		18		9		M3x8	0.014
COLLAR-8-SS-SINGLE-SPLIT	Stainless Steel	Single Split	8		18		9		M3x8	0.014
COLLAR-8-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	8		18		9		M3x8	0.014
COLLAR-8-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	8		18		9		M3x8	0.014
COLLAR-9-SS	Stainless Steel	Solid	9		18		10		M5x8	0.015
COLLAR-9-ZP	Zinc Plated	Solid	9		18		10		M5x8	0.015
COLLAR-9-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	9		24		9		M3x10	0.026
COLLAR-9-SS-SINGLE-SPLIT	Stainless Steel	Single Split	9		24		9		M3x10	0.026
COLLAR-9-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	9		24		9		M3x10	0.026
COLLAR-9-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	9		24		9		M3x10	0.026

Part Number	Material	Design Type	Bore Size (mm)	Bore Size (Inches)	OD (mm)	OD (Inches)	Width (mm)	Width (Inches)	Set Screw Size	Weight (kg)
COLLAR-3/8-ZP	Zinc Plated	Solid	9.525	0.3750"	19.05	0.7500"	9.525	0.3750"	1/4"-20x3/16"	0.016
COLLAR-3/8-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	9.525	0.3750"	22.225	0.8750"	8.73125	0.3438"	6-32"x3/8"	0.023
COLLAR-3/8-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	9.525	0.3750"	22.225	0.8750"	8.73125	0.3438"	6-32"x3/8"	0.023
COLLAR-10-SS	Stainless Steel	Solid	10		20		10		M5x5	0.019
COLLAR-10-ZP	Zinc Plated	Solid	10		20		10		M5x5	0.019
COLLAR-10-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	10		24		9		M3x10	0.026
COLLAR-10-SS-SINGLE-SPLIT	Stainless Steel	Single Split	10		24		9		M3x10	0.026
COLLAR-10-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	10		24		9		M3x10	0.026
COLLAR-10-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	10		24		9		M3x10	0.026
COLLAR-11-SS	Stainless Steel	Solid	11		20		10		M5x8	0.017
COLLAR-11-ZP	Zinc Plated	Solid	11		20		10		M5x8	0.017
COLLAR-11-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	11		28		11		M4x12	0.028
COLLAR-11-SS-SINGLE-SPLIT	Stainless Steel	Single Split	11		28		11		M4x12	0.028
COLLAR-11-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	11		28		11		M4x12	0.028
COLLAR-11-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	11		28		11		M4x12	0.028
COLLAR-7/16"-ZP	Zinc Plated	Solid	11.1125	0.4375"	22.225	0.8750"	11.1125	0.4375"	1/4"-20x1/4"	0.025
COLLAR-7/16"-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	11.1125	0.4375"	23.8125	0.9375"	9.525	0.3750"	6-32"x3/8"	0.026
COLLAR-7/16"-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	11.1125	0.4375"	23.8125	0.9375"	9.525	0.3750"	6-32"x3/8"	0.026
COLLAR-12-SS	Stainless Steel	Solid	12		22		12		M6x6	0.026
COLLAR-12-ZP	Zinc Plated	Solid	12		22		12		M6x6	0.026
COLLAR-12-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	12		28		11		M4x12	0.044
COLLAR-12-SS-SINGLE-SPLIT	Stainless Steel	Single Split	12		28		11		M4x12	0.044
COLLAR-12-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	12		28		11		M4x12	0.044
COLLAR-12-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	12		28		11		M4x12	0.044

Part Number	Material	Design Type	Bore Size (mm)	Bore Size (Inches)	OD (mm)	OD (Inches)	Width (mm)	Width (Inches)	Set Screw Size	Weight (kg)
COLLAR-1/2-ZP	Zinc Plated	Solid	12.7	0.5000"	25.4	1.0000"	11.1125	0.4375"	1/4"-20x1/4"	0.033
COLLAR-1/2-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	12.7	0.5000"	28.575	1.1250"	10.31875	0.4063"	8-32"x1/2"	0.041
COLLAR-1/2-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	12.7	0.5000"	28.575	1.1250"	10.31875	0.4063"	8-32"x1/2"	0.041
COLLAR-13-SS	Stainless Steel	Solid	13		22		12		M6x8	0.023
COLLAR-13-ZP	Zinc Plated	Solid	13		22		12		M6x8	0.023
COLLAR-13-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	13		30		11		M4x14	0.050
COLLAR-13-SS-SINGLE-SPLIT	Stainless Steel	Single Split	13		30		11		M4x14	0.050
COLLAR-13-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	13		30		11		M4x14	0.050
COLLAR-13-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	13		30		11		M4x14	0.050
COLLAR-14-SS	Stainless Steel	Solid	14		25		12		M6x6	0.032
COLLAR-14-ZP	Zinc Plated	Solid	14		25		12		M6x6	0.032
COLLAR-14-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	14		30		11		M4x14	0.050
COLLAR-14-SS-SINGLE-SPLIT	Stainless Steel	Single Split	14		30		11		M4x14	0.050
COLLAR-14-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	14		30		11		M4x14	0.050
COLLAR-14-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	14		30		11		M4x14	0.050
COLLAR-15-SS	Stainless Steel	Solid	15		25		12		M6x8	0.030
COLLAR-15-ZP	Zinc Plated	Solid	15		25		12		M6x8	0.030
COLLAR-15-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	15		34		13		M5x16	0.070
COLLAR-15-SS-SINGLE-SPLIT	Stainless Steel	Single Split	15		34		13		M5x16	0.070
COLLAR-15-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	15		34		13		M5x16	0.070
COLLAR-15-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	15		34		13		M5x16	0.070
COLLAR-5/8-ZP	Zinc Plated	Solid	15.875	0.6250"	28.575	1.1250"	12.7	0.5000"	5/16"-18x1/4"	0.044
COLLAR-5/8-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	15.875	0.6250"	33.3375	1.3125"	11.1125	0.4375"	10-32"x1/2"	0.058
COLLAR-5/8-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	15.875	0.6250"	33.3375	1.3125"	11.1125	0.4375"	10-32"x1/2"	0.058

Part Number	Material	Design Type	Bore Size (mm)	Bore Size (Inches)	OD (mm)	OD (Inches)	Width (mm)	Width (Inches)	Set Screw Size	Weight (kg)
COLLAR-16-SS	Stainless Steel	Solid	16		28		12		M6x8	0.040
COLLAR-16-ZP	Zinc Plated	Solid	16		28		12		M6x8	0.040
COLLAR-16-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	16		34		13		M5x16	0.070
COLLAR-16-SS-SINGLE-SPLIT	Stainless Steel	Single Split	16		34		13		M5x16	0.070
COLLAR-16-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	16		34		13		M5x16	0.070
COLLAR-16-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	16		34		13		M5x16	0.070
COLLAR-17-SS	Stainless Steel	Solid	17		32		12		M6x8	0.040
COLLAR-17-ZP	Zinc Plated	Solid	17		32		12		M6x8	0.040
COLLAR-17-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	17		36		13		M5x16	0.080
COLLAR-17-SS-SINGLE-SPLIT	Stainless Steel	Single Split	17		36		13		M5x16	0.080
COLLAR-17-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	17		36		13		M5x16	0.080
COLLAR-17-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	17		36		13		M5x16	0.080
COLLAR-18-SS	Stainless Steel	Solid	18		32		14		M6x8	0.062
COLLAR-18-ZP	Zinc Plated	Solid	18		32		14		M6x8	0.062
COLLAR-18-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	18		36		13		M5x16	0.080
COLLAR-18-SS-SINGLE-SPLIT	Stainless Steel	Single Split	18		36		13		M5x16	0.080
COLLAR-18-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	18		36		13		M5x16	0.080
COLLAR-18-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	18		36		13		M5x16	0.080
COLLAR-19-SS	Stainless Steel	Solid	19		32		14		M6x8	0.062
COLLAR-19-ZP	Zinc Plated	Solid	19		32		14		M6x8	0.062
COLLAR-19-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	19		40		15		M6x16	0.110
COLLAR-19-SS-SINGLE-SPLIT	Stainless Steel	Single Split	19		40		15		M6x16	0.110
COLLAR-19-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	19		40		15		M6x16	0.110
COLLAR-19-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	19		40		15		M6x16	0.110

Part Number	Material	Design Type	Bore Size (mm)	Bore Size (Inches)	OD (mm)	OD (Inches)	Width (mm)	Width (Inches)	Set Screw Size	Weight (kg)
COLLAR-3/4-ZP	Zinc Plated	Solid	19.05	0.7500"	31.75	1.2500"	14.2875	0.5625"	5/16"-18x1/4"	0.057
COLLAR-3/4-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	19.05	0.7500"	38.1	1.5000"	12.7	0.5000"	1/4"-28x5/8"	0.085
COLLAR-3/4-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	19.05	0.7500"	38.1	1.5000"	12.7	0.5000"	1/4"-28x5/8"	0.085
COLLAR-20-SS	Stainless Steel	Solid	20		32		14		M6x8	0.055
COLLAR-20-ZP	Zinc Plated	Solid	20		32		14		M6x8	0.055
COLLAR-20-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	20		40		15		M6x16	0.110
COLLAR-20-SS-SINGLE-SPLIT	Stainless Steel	Single Split	20		40		15		M6x16	0.110
COLLAR-20-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	20		40		15		M6x16	0.110
COLLAR-20-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	20		40		15		M6x16	0.110
COLLAR-22-SS	Stainless Steel	Solid	22		36		14		M6x8	0.071
COLLAR-22-ZP	Zinc Plated	Solid	22		36		14		M6x8	0.071
COLLAR-22-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	22		42		15		M6x16	0.121
COLLAR-22-SS-SINGLE-SPLIT	Stainless Steel	Single Split	22		42		15		M6x16	0.121
COLLAR-22-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	22		42		15		M6x16	0.121
COLLAR-22-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	22		42		15		M6x16	0.121
COLLAR-7/8-ZP	Zinc Plated	Solid	22.225	0.8750"	38.1	1.5000"	14.2875	0.5625"	5/16"-18x1/4"	0.084
COLLAR-7/8-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	22.225	0.8750"	41.275	1.6250"	12.7	0.5000"	1/4"-28x5/8"	0.094
COLLAR-7/8-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	22.225	0.8750"	41.275	1.6250"	12.7	0.5000"	1/4"-28x5/8"	0.094
COLLAR-24-SS	Stainless Steel	Solid	24		40		16		M8x8	0.103
COLLAR-24-ZP	Zinc Plated	Solid	24		40		16		M8x8	0.103
COLLAR-24-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	24		45		15		M6x16	0.136
COLLAR-24-SS-SINGLE-SPLIT	Stainless Steel	Single Split	24		45		15		M6x16	0.136
COLLAR-24-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	24		45		15		M6x16	0.136
COLLAR-24-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	24		45		15		M6x16	0.136

Part Number	Material	Design Type	Bore Size (mm)	Bore Size (Inches)	OD (mm)	OD (Inches)	Width (mm)	Width (Inches)	Set Screw Size	Weight (kg)
COLLAR-25-SS	Stainless Steel	Solid	25		40		16		M8x8	0.098
COLLAR-25-ZP	Zinc Plated	Solid	25		40		16		M8x8	0.098
COLLAR-25-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	25		45		15		M6x16	0.132
COLLAR-25-SS-SINGLE-SPLIT	Stainless Steel	Single Split	25		45		15		M6x16	0.132
COLLAR-25-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	25		45		15		M6x16	0.132
COLLAR-25-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	25		45		15		M6x16	0.132
COLLAR-1-ZP	Zinc Plated	Solid	25.4	1.0000"	41.275	1.6250"	15.875	0.6250"	5/16"-18x1/4"	0.104
COLLAR-1-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	25.4	1.0000"	44.45	1.7500"	12.7	0.5000"	1/4"-28x5/8"	0.100
COLLAR-1-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	25.4	1.0000"	44.45	1.7500"	12.7	0.5000"	1/4"-28x5/8"	0.100
COLLAR-26-SS	Stainless Steel	Solid	26		40		16		M8x8	0.093
COLLAR-26-ZP	Zinc Plated	Solid	26		40		16		M8x8	0.093
COLLAR-26-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	26		48		15		M6x16	0.153
COLLAR-26-SS-SINGLE-SPLIT	Stainless Steel	Single Split	26		48		15		M6x16	0.153
COLLAR-26-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	26		48		15		M6x16	0.153
COLLAR-26-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	26		48		15		M6x16	0.153
COLLAR-28-SS	Stainless Steel	Solid	28		45		16		M8x10	0.125
COLLAR-28-ZP	Zinc Plated	Solid	28		45		16		M8x10	0.125
COLLAR-28-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	28		48		15		M6x16	0.143
COLLAR-28-SS-SINGLE-SPLIT	Stainless Steel	Single Split	28		48		15		M6x16	0.143
COLLAR-28-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	28		48		15		M6x16	0.143
COLLAR-28-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	28		48		15		M6x16	0.143
COLLAR-1.1/8-ZP	Zinc Plated	Solid	28.575	1.1250"	44.45	1.7500"	15.875	0.6250"	5/16"-18x5/16"	0.113
COLLAR-1.1/8-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	28.575	1.1250"	47.625	1.8750"	12.7	0.5000"	1/4"-28x5/8"	0.110
COLLAR-1.1/8-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	28.575	1.1250"	47.625	1.8750"	12.7	0.5000"	1/4"-28x5/8"	0.110

Part Number	Material	Design Type	Bore Size (mm)	Bore Size (Inches)	OD (mm)	OD (Inches)	Width (mm)	Width (Inches)	Set Screw Size	Weight (kg)
COLLAR-30-SS	Stainless Steel	Solid	30		45		16		M8x12	0.113
COLLAR-30-ZP	Zinc Plated	Solid	30		45		16		M8x12	0.113
COLLAR-30-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	30		54		15		M6x18	0.190
COLLAR-30-SS-SINGLE-SPLIT	Stainless Steel	Single Split	30		54		15		M6x18	0.190
COLLAR-30-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	30		54		15		M6x18	0.190
COLLAR-30-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	30		54		15		M6x18	0.190
COLLAR-1.1/4-ZP	Zinc Plated	Solid	31.75	1.2500"	50.8	2.0000"	14.2875	0.5625"	3/8"-16x3/8"	0.169
COLLAR-1.1/4-DOUBLE-SPLIT-ZP	Zinc Plated	Double Split	31.75	1.2500"	52.3875	2.0625"	12.7	0.5000"	1/4"-28x5/8"	0.130
COLLAR-1.1/4-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	31.75	1.2500"	52.3875	2.0625"	12.7	0.5000"	1/4"-28x5/8"	0.130
COLLAR-32"-SS	Stainless Steel	Solid	32		50		16		M8x10	0.148
COLLAR-32"-ZP	Zinc Plated	Solid	32		50		16		M8x10	0.148
COLLAR-32"-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	32		54		15		M6x18	0.178
COLLAR-32"-SS-SINGLE-SPLIT	Stainless Steel	Single Split	32		54		15		M6x18	0.178
COLLAR-32"-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	32		54		15		M6x18	0.178
COLLAR-32"-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	32		54		15		M6x18	0.178
COLLAR-1.3/8-ZP	Zinc Plated	Solid	34.925	1.3750"	53.975	2.1250"	19.05	0.7500"	3/8"-16x3/8"	0.199
COLLAR-1.3/8-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	34.925	1.3750"	57.15	2.2500"	14.2875	0.5625"	1/4"-28x5/8"	0.180
COLLAR-1.3/8-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	34.925	1.3750"	57.15	2.2500"	14.2875	0.5625"	1/4"-28x5/8"	0.180
COLLAR-35-SS	Stainless Steel	Solid	35		56		16		M8x12	0.192
COLLAR-35-ZP	Zinc Plated	Solid	35		56		16		M8x12	0.192
COLLAR-35-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	35		57		15		M6x18	0.191
COLLAR-35-SS-SINGLE-SPLIT	Stainless Steel	Single Split	35		57		15		M6x18	0.191
COLLAR-35-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	35		57		15		M6x18	0.191
COLLAR-35-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	35		57		15		M6x18	0.191

Part Number	Material	Design Type	Bore Size (mm)	Bore Size (Inches)	OD (mm)	OD (Inches)	Width (mm)	Width (Inches)	Set Screw Size	Weight (kg)
COLLAR-38-SS	Stainless Steel	Solid	38		56		16		M8x10	0.268
COLLAR-38-ZP	Zinc Plated	Solid	38		56		16		M8x10	0.268
COLLAR-38-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	38		60		15		M6x18	0.203
COLLAR-38-SS-SINGLE-SPLIT	Stainless Steel	Single Split	38		60		15		M6x18	0.203
COLLAR-38-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	38		60		15		M6x18	0.203
COLLAR-38-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	38		60		15		M6x18	0.203
COLLAR-1.1/2-ZP	Zinc Plated	Solid	38.1	1.5000"	57.15	2.2500"	19.05	0.7500"	3/8"-16x3/8"	0.213
COLLAR-1.1/2-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	38.1	1.5000"	60.325	2.3750"	14.2875	0.5625"	1/4"-28x5/8"	0.190
COLLAR-1.1/2-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	38.1	1.5000"	60.325	2.3750"	14.2875	0.5625"	1/4"-28x5/8"	0.190
COLLAR-40-SS-DOUBLE-SPLIT	Stainless Steel	Double Split	40		60		15		M8x18	0.188
COLLAR-40-SS-SINGLE-SPLIT	Stainless Steel	Single Split	40		60		15		M8x18	0.188
COLLAR-40-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	40		60		15		M8x18	0.188
COLLAR-40-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	40		60		15		M8x18	0.188
COLLAR-40-SS	Stainless Steel	Solid	40		63		18		M10x12	0.268
COLLAR-40-ZP	Zinc Plated	Solid	40		63		18		M10x12	0.268
COLLAR-1.5/8-ZP	Zinc Plated	Solid	41.275	1.6250"	63.5	2.5000"	20.6375	0.8125"	3/8"-16x3/8"	0.296
COLLAR-1.5/8-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	41.275	1.6250"	66.675	2.6250"	17.4625	0.6875"	5/16"-24x7/8"	0.297
COLLAR-1.5/8-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	41.275	1.6250"	66.675	2.6250"	17.4625	0.6875"	5/16"-24x7/8"	0.297
COLLAR-1.3/4-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	44.45	1.7500"	69.85	2.7500"	17.4625	0.6875"	5/16"-24x7/8"	0.314
COLLAR-1.3/4-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	44.45	1.7500"	69.85	2.7500"	17.4625	0.6875"	5/16"-24x7/8"	0.314
COLLAR-1.3/4-ZP	Zinc Plated	Solid	44.45	1.7500"	69.85	2.7500"	22.225	0.8750"	1/2"-13x1/2"	0.336
COLLAR-45-ZP	Zinc Plated	Solid	45		70		18		M10x12	0.325
COLLAR-45-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	45		73		19		M8x18	0.394
COLLAR-45-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	45		73		19		M8x18	0.394

Part Number	Material	Design Type	Bore Size (mm)	Bore Size (Inches)	OD (mm)	OD (Inches)	Width (mm)	Width (Inches)	Set Screw Size	Weight (kg)
COLLAR-1.7/8-ZP	Zinc Plated	Solid	47.625	1.8750"	69.85	2.7500"	22.225	0.8750"	1/2"-13x1/2"	0.355
COLLAR-1.7/8-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	47.625	1.8750"	73.025	2.8750"	17.4625	0.6875"	5/16"-24x7/8"	0.332
COLLAR-1.7/8-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	47.625	1.8750"	73.025	2.8750"	17.4625	0.6875"	5/16"-24x7/8"	0.332
COLLAR-50-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	50		78		19		M8x25	0.428
COLLAR-50-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	50		78		19		M8x25	0.428
COLLAR-50-ZP	Zinc Plated	Solid	50		80		18		M10x16	0.441
COLLAR-2-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	50.8	2.0000"	76.2	3.0000"	17.4625	0.6875"	5/16"-24x7/8"	0.349
COLLAR-2-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	50.8	2.0000"	76.2	3.0000"	17.4625	0.6875"	5/16"-24x7/8"	0.349
COLLAR-2-ZP	Zinc Plated	Solid	50.8	2.0000"	76.2	3.0000"	22.225	0.8750"	1/2"-13x1/2"	0.439
COLLAR-55-ZP	Zinc Plated	Solid	55		80		18		M10x16	0.382
COLLAR-55-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	55		82		19		M8x25	0.441
COLLAR-55-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	55		82		19		M8x25	0.441
COLLAR-60-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	60		88		19		M8x25	0.494
COLLAR-60-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	60		88		19		M8x25	0.494
COLLAR-60-ZP	Zinc Plated	Solid	60		90		20		M10x16	0.565
COLLAR-65-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	65		93		19		M8x25	0.528
COLLAR-65-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	65		93		19		M8x25	0.528
COLLAR-65-ZP	Zinc Plated	Solid	65		100		20		M8x25	0.725
COLLAR-70-ZP-DOUBLE-SPLIT	Zinc Plated	Double Split	70		98		19		M8x25	0.561
COLLAR-70-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	70		98		19		M8x25	0.561
COLLAR-70-ZP	Zinc Plated	Solid	70		100		20		M10x20	0.641
COLLAR-75-DOUBLE-SPLIT-ZP	Zinc Plated	Double Split	75		103		19		M8x25	0.595
COLLAR-75-ZP-SINGLE-SPLIT	Zinc Plated	Single Split	75		103		19		M8x25	0.595
COLLAR-75-ZP	Zinc Plated	Solid	75		110		22		M12x20	0.895